Minerals -

What are mineral resources and why is planning permission required?

Mineral resources are defined as natural concentrations of minerals or, in the case of aggregates, bodies of rock that are, or may become, of potential economic interest due to their inherent properties. They make an essential contribution to the country's prosperity and quality of life. Details of existing minerals, their location, and uses can be found through Mineral planning factsheets produced by the British Geological Survey. Planning for the supply of minerals has a number of special characteristics that are not present in other development:

- minerals can only be worked (ie extracted) where they naturally occur, so location options for the economically viable and environmentally acceptable extraction of minerals may be limited. This means that it is necessary to consider protecting minerals from non-minerals development and has implications for the preparation of minerals plans and approving non-mineral development in defined mineral safeguarding areas;
- working is a temporary use of land, although it often takes place over a long period of time;
- working may have adverse and positive environmental effects, but some adverse effects can be effectively mitigated;
- since

Minerals extraction may only take place if the operator has obtained both planning permission and any other permits and approvals. These include permits from bodies such as the Environment Agency, and licenses from Natural England and, in relation to coal resources, the Coal Authority.

Paragraph: 001 Reference ID: 27-001-20140306

Revision date: 06 03 2014

Minerals safeguarding

What is the purpose of safeguarding mineral resources?

Since minerals are a non-renewable resource, minerals safeguarding is the process of ensuring that non-minerals development does not needlessly prevent the future extraction of mineral resources, of local and national importance.

Paragraph: 002 Reference ID: 27-002-20140306

Revision date: 06 03 2014

What steps should mineral planning authorities take to safeguard mineral resources?

Mineral planning authorities should adopt a systematic approach for safeguarding mineral resources, which:

- uses the best available information on the location of all mineral resources in the authority area. This may include use of British Geological Survey maps as well as industry sources;
- consults with the minerals industry, other local authorities (especially district authorities in 2-tier areas), local communities and other relevant interests to define Minerals Safeguarding Areas;
- sets out Minerals Safeguarding Areas on the policies map that accompanies the local plan and define Mineral Consultation Areas; and

councils should show Mineral Safeguarding Areas on their policy maps;

in those areas where a mineral planning authority has defined a Minerals Consultation Area, consulting the mineral planning authority and taking account of the local minerals plan before determining a planning application on any proposal for non-minerals development within it; and

when determining planning applications, doing so in accordance

Revision date: 06 03 2014

Planning for minerals extraction

permission may be granted, particularly if there is a potential shortfall in supply.

National Park Authorities are not expected to designate Preferred Areas or Areas of Search given their overarching responsibilities for managing National Parks.

Furthermore, in exceptional circumstances, such as where a local authority area is largely made up of designated areas such as Areas of Outstanding Natural Beauty, it may be appropriate for mineral planning authorities to rely largely on policies which set out the general conditions against which applications will be assessed.

In planning for minerals extraction, mineral planning authorities are expected to co-operate with other authorities

Paragraph: 008 Reference ID: 27-008-20140306

Revision date: 06 03 2014

Why should mineral planning authorities seek to designate Specific Sites as a priority?

Designating Specific Sites in minerals plans provides the necessary certainty on when and where development may take place. The better the quality of data available to mineral planning authorities, the better the prospect of a site being designated as a Specific Site.

Paragraph: 009 Reference ID: 27-009-20140306

Revision date: 06 03 2014

Under what circumstances would it be preferable to focus on extensions to existing sites rather than plan for new sites?

The suitability of each proposed site, whether an extension to an existing site or a new site, must be considered on its individual merits, taking into account issues such as:

need for the specific mineral;

economic considerations (such being able to continue to extract the resource, retaining jobs, being able to utilise existing plant and other infrastructure), and;

positive and negative environmental impacts (including the feasibility of a strategic approach to restoration).

the cumulative impact of proposals in an area.

Paragraph: 010 Reference ID: 27-010-20140306

Revision date: 06 03 2014

Assessing environmental impacts from minerals extraction

How and when are the details of any significant environmental impacts best addressed?

Significant environmental impacts are best addressed through consideration of an Environmental Statement which will have to accompany nearly all planning applications for new mineral working. Statutory regulators must be consulted as part of the Environmental Impact Assessment process. This ensures that the mineral planning authority has sufficient information on all environmental matters at the time the planning decision is made.

Paragraph: 011 Reference ID: 27-011-20140306

Revision date: 06 03 2014

What is the relationship between planning and other regulatory regimes?

The planning and other regulatory regimes are separate but complementary. The planning system controls the development and use of land in the public interest and, as stated in paragraphs 204 and 170 of the National Planning Policy Framework, this includes ensuring that new development is appropriate for its location – taking account of the effects (including cumulative effects) of pollution on health, the natural environment or general amenity, and

the potential sensitivity of the area or proposed development to adverse effects from pollution.

In doing so the focus of the planning system should be on whether the development itself is an acceptable use of the land, and the impacts of those uses, rather than any control processes, health and safety issues or emissions themselves where these are subject to approval under regimes. Mineral planning authorities should assume that these non-planning regimes will operate effectively.

Paragraph: 012 Reference ID: 27-012-20140306

Revision date: 06 03 2014

What are the environmental issues of minerals working that should be addressed by mineral planning authorities?

The principal issues that mineral planning authorities should address, bearing in mind that not all issues will be relevant at every site to the same degree, include:

- noise associated with the operation
- dust;
- air quality;
- lighting;
- visual impact on the local and wider landscape;
- landscape character;
- archaeological and heritage features (further guidance can be found under the Minerals and Historic Environment Forum's Practice Guide on mineral extraction and archaeology;
- traffic;
- risk of contamination to land;
- soil resources;
- geological structure;
- impact on best and most versatile agricultural land;
- blast vibration;

internationally, nationally or locally designated wildlife sites, protected habitats and species, and ecological networks;

impacts on nationally protected landscapes (National Parks, the Broads and Areas of Outstanding Natural Beauty);

nationally protected geological and geo-morphological sites and features;

site restoration and aftercare;

surface and, in some cases, ground water issues;

water abstraction.

Paragraph: 013 Reference ID: 27-013-20140306

Revision date: 06 03 2014

What issues are for o

What issues are(es ar0 Tj/TTeg26(es003 Tc 01 (at)-5 (er abs)-2 (t)-5 (r)05 (ac)-2

What J Jue Tc 0 Tw (n)Acan(a2 T9)-0(4)E1C3 (s)Bes Tj -32 (r)2 (e)-4 (a)

How should mineral operators seek to minimise the impact of development upon properties and the local environment in close proximity to mineral workings?

Minerals operators should look to agree a programme of work with the mineral planning authority which takes into account, as far as is practicable, the potential impacts on the local community and local environment (including wildlife), the proximity to occupied properties, and legitimate operational considerations over the expected duration of operations.

Paragraph: 015 Reference ID: 27-015-20140306

Revision date: 06 03 2014

What are the environmental impacts of mineral extraction from building stone quarries?

Mineral planning authorities should recognise that, compared to other types of mineral extraction, most building stone quarries are small-scale and have a far lower rate of extraction when compared to other quarries. This means that their local environmental impacts may be significantly less. Such quarries often continue in operation for a very long period, and may be worked intermittently but intensively (“campaign working”), involving stockpiling of stone.

Paragraph: 016 Reference ID: 27-016-20140306

Revision date: 06 03 2014

How should mineral planning authorities assess the cumulative impact of minerals development?

development is also capable of being a material consideration when determining individual planning applications.

Paragraph: 017 Reference ID: 27-017-20140306

Revision date: 06 03 2014

Are separation distances/buffer zones appropriate?

Separation distances/buffer zones may be appropriate in specific circumstances where it is clear that, based on site specific

operating locations, procedures, schedules and duration of work for the l

Paragraph: 020 Reference ID: 27-020-20140306

Revision date: 06 03 2014

What are the appropriate noise standards for mineral operators for normal operations?

Mineral planning authorities should aim to establish a noise limit, through a planning condition, at the noise-sensitive property that does not exceed the background noise level (LA90,1h) by more than 10dB(A) during normal working hours (0700-1900). Where it will be difficult not to exceed the background level by more than 10dB(A) without imposing unreasonable burdens on the mineral operator, the limit set should be as near that level as practicable. In any event, the total noise from the operations should not exceed 55dB(A) LAeq, 1h (free field). For operations during the evening (1900-2200) the noise limits should not exceed the background noise level (LA90,1h) by more than 10dB(A) and should not exceed 55dB(A) LAeq, 1h (free field). For any operations during the period 22.00 – 07.00 noise limits should be set to reduce to a minimum any adverse impacts, without imposing unreasonable burdens on the mineral operator. In any event the noise limit should not exceed 42dB(A) LAeq,1h (free field) at a noise sensitive property.

Where the site noise has a significant tonal element, it may be appropriate to set specific limits to control this aspect. Peak or impulsive noise, which may include some reversing bleepers, may also require separate limits that are independent of background noise (eg Lmax in specific octave or third-octave frequency bands – and that should not be allowed to occur regularly at night.)

Care should be taken, however, to avoid any of these suggested values being implemented as fixed thresholds as specific circumstances may justify some small variation being allowed.

Paragraph: 021 Reference ID: 27-021-20140306

Revision date: 06 03 2014

What type of operations may give rise to particularly noisy short-term activities and what noise limits may be appropriate?

Activities such as soil-stripping, the construction and removal of baffle mounds, soil storage mounds and spoil heaps, construction of new permanent landforms and aspects of site road construction and maintenance.

Increased temporary daytime noise limits of up to 70dB(A) LAeq 1h (free field) for periods of up to 8 weeks in a year at specified noise-sensitive properties should be considered to facilitate essential site preparation and restoration work and construction of baffle mounds where it is clear that this will bring longer-term environmental benefits to the site or its environs.

Where work is likely to take longer than 8 weeks, a lower limit over a longer period should be considered. In some wholly exceptional cases, where there is no viable alternative, a higher limit for a very limited period may be appropriate in order to attain the environmental benefits. Within this framework, the 70 dB(A) LAeq 1h (free field) limit referred to above should be regarded as the normal maximum.

An explanation of the technical terms used in this section can be found at the end of this guidance.

Paragraph: 022 Reference ID: 27-022-20140306

Revision date: 06 03 2014

Dust emissions

How should mineral operators seek to minimise dust emissions?

Where dust emissions are likely to arise, mineral operators are expected to prepare a dust assessment study, which should be undertaken by a competent person/organisation with acknowledged experience of undertaking this type of work.

There are 5 key stages to a dust assessment study:

- establish baseline conditions of the existing dust climate around the site of the proposed operations;
- identify site activities that could lead to dust emission without mitigation;

Paragraph: 025 Reference ID: 27-025-20140306

Revision date: 06 03 2014

Stage 2: Identify site activities that could lead to dust emission without mitigation

Potential dust sources should be identified and their potential to emit dust assessed with respect to the duration of the activity or the potential of dust to become airborne.

Paragraph: 026 Reference ID: 27-026-20140306

Revision date: 06 03 2014

Stage 3: Identify site parameters which may increase potential impacts from dust

This brings together information collected in Stages 1 and 2 with information on sensitive land uses around the site in order to understand how these uses could be affected by dust. Computer modelling techniques can be used to understand how dust could disperse from a site. Alternatively, a more qualitative approach, relying on professional judgement, could be used to bring together the dat-6.1492.2 /TT1 1 Tf-0.030 ale ai06

Paragraph: 026 Ree ID: 27- 026-20140306

Revision date: 06 03 2014

The relationship of the activities within mineral workings to surrounding land uses will vary from site to site. Since the nature of those land uses varies, so will their sensitivity to dust. Some environmental features may also be sensitive to dust.

Paragraph: 029 Reference ID: 27-029-20140306

Revision date: 06 03 2014

What additional dust control measures might be necessary?

Additional measures to control fine particulates (PM10) to address any impacts of dust might be necessary if, within a site, the actual

maximum of 8 site visits for monitoring site operations within any 12 month period where the site is operational, or one visit in other circumstances. Additional site visits may be undertaken but they cannot be charged.

Paragraph: 034 Reference ID: 27-034-20140306

Revision date: 06 03 2014

What powers do mineral planning authorities have to enforce mineral permissions?

There are a range of powers available to mineral planning authorities to take enforcement action in respect of breaches of planning control. These are set out principally in Part VII of the Town and Country Planning Act 1990. These powers include the power under section 196A for the mineral planning authority to enter land and buildings in connection with their enforcement functions.

Paragraph: 035 Reference ID: 27-035-20140306

Revision date: 06 03 2014

which should include policies to ensure worked land is reclaimed at the earliest opportunity and that high quality restoration and aftercare of mineral sites takes place, and on a site-by-site basis following discussions between the minerals operator and the mineral planning authority

Paragraph: 037 Reference ID: 27-037-20140306

Revision date: 06 03 2014

What are the key stages that must be considered when considering restoration and aftercare conditions?

Restoration and aftercare of mineral sites involves a number of key stages, which mineral planning authorities should take into account as appropriate when preparing restoration and aftercare conditions:

1. stripping of soils and soil-making materials and either their storage or their direct replacement (ie ‘restoration’) on another part of the site;
2. storage and replacement of overburden;

Paragraph: 039 Reference ID: 27-039-20140306

Revision date: 06 03 2014

How much detail on restoration and aftercare should be provided with the planning application?

The level of detail required on restoration and aftercare will depend on the circumstances of each specific site including the expected duration of operations on the site. It must be sufficient to clearly demonstrate that the overall objectives of the scheme are practically achievable, and it would normally include:

- an overall restoration strategy, identifying the proposed afteruse of the site;
- information acC20 jEMC /LBod21ici objec-5 (orat)-ou worattch.1 (ng tdro)-3.

For mineral extraction sites where expected extraction is likely to last for a short period of time, it is usually appropriate for the mineral planning authority to impose a detailed set of planning conditions relating to restoration and aftercare as part of the planning permission.

Paragraph: 043 Reference ID: 27-043-20140306

Revision date: 06 03 2014

How detailed should restoration and aftercare planning conditions be for long-term extraction?

For mineral extraction sites where expected extraction is likely to last for many years, early agreement on the details of at least the later stages of aftercare may not be appropriate. In such cases, it would still be appropriate:

- for the applicant to provide a general outline of the final landform and intended after-use;
- for the mineral planning authority to require the submission of requirements covering the main stages of reclamation of a site (eg filling, restoration and aftercare), tohgb7dfle3 5t1.4 (cau00107 (t)-5 2 37.1 T 0 [(r5 (ryde agree) 6.1 (t)3.2 et) 1 (t)3.3 eub1 (t)3.3

What are the possible forms of afteruse following mineral extraction?

There are many possible uses of land once minerals extraction is complete and restoration and aftercare of land is complete. These include:

- creation of new habitats and biodiversity;
- use for agriculture;
- forestry;
- recreational activities;
- waste management, including waste storage; and
- the built environment, such as residential, industrial and retail where appropriate.

Some former mineral sites may also be restored as a landfill facility using suitable imported waste materials as an intermediate stage in restoration prior to an appropriate after use.

Paragraph: 045 Reference ID: 27-045-20140306

Revision date: 06 03 2014

Is planning permission required for any forms of afteruse?

Separate planning permission is likely to be required for most forms of afteruse, except:

- agriculture and forestry;
- uses for which planning permission is granted under a Local Development Order;
- nature conservation and informal recreation which do not involve substantial public use.

Applications for afteruse will usually be decided by the district planning authority but in some instances, and depending on the type of afteruse, responsibility will rest with the mineral planning authority.

Paragraph: 046 Reference ID: 27-046-20140306

Revision date: 06 03 2014

How should mineral planning authorities deal with any concerns about funding of site restoration or aftercare?

Mineral planning authorities should address any concerns about the funding of site restoration principally through appropriately worded planning conditions.

Paragraph: 047 Reference ID: 27-047-20140306

Revision date: 06 03 2014

When is a financial guarantee justified?

A financial guarantee to cover restoration and aftercare costs will normally only be justified in exceptional cases. Such cases, include:

- very long-term new projects where progressive reclamation is not practicable, such as an extremely large limestone quarry;
- where a novel approach or technique is to be used, but the minerals planning authority considers it is justifiable to give permission for the development;
- where there is reliable evidence of the likelihood of either financial or technical failure, but these concerns are not such as to justify refusal of permission.

However, where an operator is contributing to an established mutual funding scheme, such as the Mineral Products Association Restoration Guarantee Fund or the British Aggregates Association Restoration Guarantee Fund, it should not be necessary for a minerals planning authority to seek a guarantee against possible financial failure, even in such exceptional circumstances.

Paragraph: 048 Reference ID: 27-048-20140306

Revision date: 06 03 2014

How and when should minerals planning authorities seek a financial guarantee?

Mineral planning authorities should seek to meet any justifiable and reasonable concerns about financial liabilities relating to the restoration of the site through agreeing a planning obligation or voluntary agreement at the time a planning permission is given.

Paragraph: 049 Reference ID: 27-049-20140306

Revision date: 06 03 2014

Aftercare conditions

What is the purpose of aftercare conditions?

Aftercare conditions are required to ensure that, following site restoration, the land is brought up to the required standard which enables it to be used for the intended afteruse.

Paragraph: 050 Reference ID: 27-050-20140306

Revision date: 06 03 2014

What is the appropriate form of aftercare conditions?

Mineral planning authorities may impose aftercare conditions in one of two ways:

- at the time of granting planning permission, specifying detailed steps to be taken; or
- through a planning condition which requires an aftercare scheme to be submitted by the applicant or other appropriate person for approval.

Paragraph: 051 Reference ID: 27-051-20140306

Revision date: 06 03 2014

What are the limitations imposed on aftercare conditions?

There are several limitations imposed on aftercare conditions, as follows:

- they may only be imposed on permissions in conjunction with a restoration condition;
- they may only be imposed in relation to land which is to be used for agriculture, forestry or amenity (including biodiversity) following minerals working;
- they can require only planting, cultivating, fertilising, watering, draining or otherwise treating the land;
- they can only start following compliance with a restoration condition and the mineral planning authority cannot require any steps to be taken after the end of a 5 year aftercare period without the agreement of the minerals operator (Schedule 5 of the Town and Country Planning Act 1990 sets out the conditions relating to mineral working).

Paragraph: 052 Reference ID: 27-052-20140306

Revision date: 06 03 2014

How do aftercare conditions apply where progressive restoration takes place?

Where sites are subject to progressive restoration, the aftercare period for each part of the site will begin once the restoration condition for the relevant part of the site has been met.

Paragraph: 053 Reference ID: 27-053-20140306

Revision date: 06 03 2014

Who must a mineral planning authority consult before imposing aftercare conditions?

The mineral planning authority must consult Natural England (if the proposed restoration is for agriculture) or the Forestry Commission (if the restoration is for forestry use).

Paragraph: 054 Reference ID: 27-054-20140306

Revision date: 06 03 2014

When should an aftercare scheme be submitted for approval by the mineral planning authority?

An aftercare scheme should be submitted to the mineral planning authority at least 6 months prior to the start of aftercare on all or part of the mineral site.

Paragraph: 055 Reference ID: 27-055-20140306

Revision date: 06 03 2014

What information is required from a mineral operator to secure a successful aftercare scheme?

The mineral planning authority should seek to ensure that the operator provides:

- an outline strategy of commitments for the 5 year aftercare period (or longer if agreed between the applicant and the mineral planning authority); and

A map should accompany the outline strategy, identifying clearly all areas subject to aftercare management, with separate demarcation of areas according to differences in the year of aftercare and proposed management. Where a choice of options is retained this should be made clear together with criteria to be followed in choosing between them.

Paragraph: 057 Reference ID: 27-057-20140306

Revision date: 06 03 2014

What should be included in the detailed programme?

The detailed programme should:

- elaborate on the outline strategy for work to be carried out in the forthcoming year;
- confirm that steps already specified in detail in the outline strategy will be carried out as originally intended;
- include any modifications to original proposals eg due to differences between actual and anticipated site conditions.

Paragraph: 058 Reference ID: 27-058-20140306

Revision date: 06 03 2014

Landscape strategy

What should be included in a landscape strategy?

A site-specific landscape strategy to accompany applications for either a new site or any significant extension to an existing working site should include:

- defining the key landscape opportunities and constraints;
- considering potential directions of working, significant waste material locations, degrees of visual exposure etc;
- identifying the need for additional screening during operations;
- identifying proposed afteruses and options for the character for the restored landscape

Paragraph: 059 Reference ID: 27-059-20140306

Revision date: 06 03 2014

Planning for aggregate minerals

This section is comprised of:

The Managed Aggregate Supply System
Local Aggregate Assessments
Aggregate Working Parties
The role of the National Aggregate Co-ordinating Group
Aggregate Landbanks

The Managed Aggregate Supply System

What is the Managed Aggregate Supply System?

The Managed Aggregate Supply System seeks to ensure a steady and adequate supply of aggregate mineral, to handle the significant geographical imbalances in the occurrence of suitable natural aggregate resources, and the areas where they are most needed. It requires mineral planning authorities which have adequate resources of aggregates to make an appropriate contribution to national as well as local supply, while making due allowance for the need to control any environmental damage to an acceptable level. It also ensures that areas with smaller amounts of aggregate make some contribution towards meeting local and national need, where that can be done sustainably.

The Managed Aggregate Supply System works through national, sub-national and local partners working together to deliver a steady and adequate supply of aggregates, as follows:

- at local level, mineral planning authorities are expected to prepare Local Aggregate Assessments, to assess the demand for and supply of aggregates;
- at sub-national level, mineral planning authorities belong to and are supported by Aggregate Working Parties, who produce fit-

for-purpose and comprehensive data on aggregates covering specific geographical areas; and

at national level, there exists the National Aggregate Co-ordinating Group, who monitor the overall provision of aggregates in England.

A key additional tool which underpins the working of the Managed Aggregate Supply System is the aggregate landbank, which is

an assessment of the balance between demand and supply, and the economic and environmental opportunities and constraints that might influence the situation. It should conclude if there is a shortage or a surplus of supply and, if the former, how this is being addressed.

Paragraph: 062 Reference ID: 27-062-20140306

Revision date: 06 03 2014

What are the supply options on which Local Aggregate Assessments should be based?

Local Aggregate Assessments should consider all aggregate supply options, including the following:

- recycled aggregates, including from construction, demolition and excavation waste;
- secondary aggregates, whose sources come from industrial wastes such as glass (cullet), incinerator bottom ash, railway ballast, fine ceramic waste (pitcher) and scrap tyres; and industrial and minerals by-products, notably waste from china clay, coal and slate extraction and spent foundry sand. They can also include hydraulically-bound materials;
- marine aggregates from The Crown Estate. Information will cover the areas licensed by the Marine Management Organisation for marine sand and gravel dredging and, as they are prepared over time, Marine Plans;
- imports into and exports out of the mineral planning authority area. The mineral planning authority must capture the amount of aggregate that it is importing and exporting as part of its Assessment (this will usuall ush6.1 (ual)-3.1 (l)-3.63.1 (uom)-3.7 (Tmus)-6.

The latest national and sub-national guidelines published by the government are the National and regional guidelines for aggregates provision in England 2005 to 2020.

The government's national and sub-national guidelines serve 2 purposes:

- they seek to provide an indication of the total amount of aggregate provision that the mineral planning authorities, collectively within each Aggregate Working Party, should aim to provide; and
- they will provide individual mineral planning authorities, where they are having difficulty in obtaining data, with some understanding or context of the overall demand and possible sources that might be available in their Aggregate Working Party area.

Although these guidelines should be considered on this basis and not as rigid standards, they are nonetheless capable of being a material consideration when determining the soundness of minerals plans and in making decisions on individual planning applications.

Paragraph: 068 Reference ID: 27-068-20140306

Revision date: 06 03 2014

Should Aggregate Working Parties simply meet the total set out in the Sub-National Guidelines?

The basis for the provision of the supply of aggregates is through the Local Aggregate Assessment. Mineral planning authorities may decide, collectively, to plan for more or less than set out in the Guidelines based on their Local Aggregate Assessment. Such provision must be supported by robust evidence and be properly justified, having regard to local and national need.

Paragraph: 070 Reference ID: 27-070-20140306

Revision date: 06 03 2014

Can mineral planning authorities simply use figures apportioned from the sub-national guidelines by the Aggregate Working Party as a substitute for Local Aggregate Assessments?

appropriate. Mineral planning authorities should not feel compelled to work within imposed geographical boundaries, nor to work on the basis of former government office region boundaries.

Paragraph: 072 Reference ID: 27-072-20140306

Revision date: 06 03 2014

What is the role of each Aggregate Working Party?

The role of each Aggregate Working Party is three-fold:

- to consider, scrutinise and provide advice on the Local Aggregate Assessment of each mineral planning authority in its area;
- to provide an assessment on the position of overall demand and supply for the Aggregate Working Party area, including whether, in its view, the area is making a full contribution towards meeting both national and local aggregate needs. This assessment should be based on local aggregate assessments and should be informed by other economic data. It should also include an indication of emerging trends of demand in the Aggregate Working Party area; and
- to obtain, collect and report on data on minerals activity in their area. This includes annual data on sales, permissions and mineral reserves in their area, and data on recycled and secondary sources.

Paragraph: 073 Reference ID: 27-073-20140306

Revision date: 06 03 2014

What are the working arrangements for each Aggregate Working Party?

It will be for each Aggregate Working Party to decide on the Chairman and frequency of meetings. Each Aggregate Working Party ic otTj (g)-2.5 ( )]TJ0.0 annual reports being de pub (c)-.e ic (c)-.e y available.

Paragraph: 074 Reference ID: 27-074-20140306

reason for such a difference, and whether it raises issues of concern about ensuring a steady and adequate provision of aggregates in England. The National Aggregate Co-ordinating Group should share its findings with both the individual Aggregate Working Party and government as necessary; and

providing guidance to government on future National and Sub-National requirements for aggregates supply. This will include whether, and when, it needs to review National and Sub-National guidelines for aggregate provision in England.

Paragraph: 077 Reference ID: 27-077-20140306

Revision date: 06 03 2014

Who belongs to the National Aggregate Co-

Landbanks of aggregate mineral reserves, or aggregate landbanks, are principally a monitoring tool to provide a mineral planning authority with early warning of possible disruption to the provision of an adequate and steady supply of land-won aggregates in their particular area.

Aggregate landbanks should be used principally as a trigger for a mineral planning authority to review the current provision of aggregates in its area and consider whether to conduct a review of the allocation of sites in the plan. In doing so, it may take into account the remaining planned provision in the minerals local plan.

Paragraph: 080 Reference ID: 27-080-20140306

Revision date: 06 03 2014

Why do we have different aggregate landbanks for crushed rock and sand and gravel?

Separate landbanks are required for crushed rock and sand and gravel because they partly serve different markets and have different site infrastructure requirements. In general, quarries producing rock aggregates will need a longer security of reserves to justify capital investment in, for example, crushing equipment.

Paragraph: 081 Reference ID: 27-081-20140306

Revision date: 06 03 2014

How do I use aggregate landbanks?

Aggregate landbanks are an essential component of planning decision-making:

- they are the basis on which the level of provision of new areas for aggregate extraction should be calculated when preparing local mineral plans;
- they are an important means of assessing when a mineral planning authority should review the current provision of aggregates in its area; and consider whether to conduct a review of allocation of sites in its local minerals plan; and

for decision-making, low landbanks may be an indicator that suitable applications should be permitted as a matter of importance to ensure the steady and adequate supply of aggregates.

Paragraph: 082 Reference ID: 27-082-20140306

Revision date: 06 03 2014

How and when do I calculate aggregate landbanks?

Aggregate landbanks should be recalculated each year. The length of the aggregate landbank is the sum in tonnes of all permitted reserves for which valid planning permissions are extant, divided by the annual rate of future demand based on the latest annual Local Aggregate Assessment.

In calculating landbanks, the term permitted reserve includes current non-working sites but excludes those sites where mineral working cannot take place until there has been a review of the planning conditions attached to their planning permission.

Paragraph: 083 Reference ID: 27-083-20140306

Revision date: 06 03 2014

Is a landbank above the minimum level justification to refuse planning permission?

There is no maximum landbank level and each application for minerals extraction must be considered on its own merits regardless of the length of the landbank. However, where a landbank is below the minimum level this may be seen as a strong indicator of urgent need.

There are a number of reasons why an application for aggregate minerals development is brought forward in an area where there exists an adequate landbank. These could include:

significant future increases in demand that can be forecast with reasonable certainty;

- the location of the consented reserve is inappropriately located relative to the main market areas;
- the nature, type and qualities of the aggregate such as its suitability for a particular use within a distinct and separate market; and
- known constraints on the availability of consented reserves that might limit output over the plan period.

Paragraph: 084 Reference ID: 27-084-20140306

Revision date: 06 03 2014

Should mineral planning authorities maintain separate landbanks for different types of aggregate?

Where there is a distinct market for a specific type or quality of aggregate (such as high specification rock, or sand used for concrete or sand for asphalt), a separate landbank calculation based on provision to that market may be justified for that material or those materials. This is because materials of different physical properties and quality are often needed to meet different end uses, and the scope to substitute one aggregate material for another can be limited.

Paragraph: 085 Reference ID: 27-085-20140306

Revision date: 06 03 2014

Planning for industrial minerals

How should mineral planning authorities plan for industrial minerals?

Mineral planning authorities should recognise that there are marked differences in geology, physical and chemical properties, markets and supply and demand between different industrial minerals, which can have different implications for their extraction. These include:

- geology influencing the size of an industrial mineral resource, how it may be extracted and the amount of mineral waste generated;

- the fact that markets are based on the consistent physical and/or chemical properties of each mineral. Different uses can require different specifications, and industrial minerals are often not interchangeable in use;
- the potential for the quality of a mineral extracted from a single site varying considerably. This may require multiple extraction faces within one quarry, or supplies of specific feedstock from several different quarries, to enable blending of lower specification material with that of higher grade. Alternatively, it may result in only a small proportion being suitable for specific industrial end-uses, with remaining minerals occasionally being used for alternative purposes such as aggregates;
- industrial minerals being essential raw materials for a wide range of downstream manufacturing industries. Their economic importance therefore extends well beyond the sites from which they are extracted;
- some industries are dependent on several industrial minerals. The loss of supply of one mineral could create difficulties for manufacturers even if the other minerals remain available.

Paragraph: 086 Reference ID: 27-086-20140306

Revision date: 06 03 2014

What are stocks of permitted reserves for industrial minerals?

Stocks of permitted reserves are a monitoring tool to aid decision-making on planning applications at existing industrial minerals sites. They should be used as an indicator to assess when further permitted reserves are required at an industrial minerals site.

Paragraph: 087 Reference ID: 27-087-20140306

Revision date: 06 03 2014

How and when should the required stock of permitted reserves for industrial minerals be calculated?

Stocks of permitted reserves should be calculated when a planning application is submitted to extract the mineral (through either a site extension or a new site) or when new capital investment is proposed.

The overall amount required should be directly linked to the scale of capital investment to construct and operate the required facility (such as a cement plant or brick factory).

Paragraph: 088 Reference ID: 27-088-20140306

Revision date: 06 03 2014

Would existing stocks of permitted reserves provide justification to refuse planning permission?

Each application for minerals extraction must be considered on its own merits, regardless of the current stock of permitted reserves. However, low stocks of permitted reserves to justify capital investment may be seen as a strong indicator of urgent need.

Paragraph: 089 Reference ID: 27-089-20140306

Revision date: 06 03 2014

How do you calculate the required stock of permitted reserves for silica sand sites?

The required stock of permitted reserves for each silica sand site should be based on the average of the previous 10 years sales. The calculations should have regard to the quality of sand and the use to which the material is put.

Paragraph: 090 Reference ID: 27-090-20140306

Revision date: 06 03 2014

Should mineral planning authorities allow time extensions to extract peat from existing sites?

Mineral planning authorities should consiptyoa-3.2 (on d9act p)-d consicg aonsicg

Unconventional hydrocarbons refers to oil and gas which comes from sources such as shale or coal seams which act as the reservoirs.

As an emerging form of energy supply, there is a pressing need to establish – through exploratory drilling – whether or not there are sufficient recoverable quantities of unconventional hydrocarbons such as shale gas and coalbed methane present to facilitate economically viable full scale production.

Paragraph: 091 Reference ID: 27-091-20140306

Revision date: 06 03 2014

What are the phases of onshore hydrocarbon extraction?

There are 3 phaseTT0 h comes

Revision date: 06 03 2014

Paragraph: 097 Reference ID: 27-097-20140306

Revision date: 06 03 2014

How long does exploratory drilling last?

For conventional hydrocarbons, exploration drilling onshore is a short-term, but intensive, activity. Typically, site construction, drilling and site clearance will take between 12 to 25 weeks.

For unconventional hydrocarbons exploratory drilling may take considerably longer, especially if there is going to be hydraulic fracturing and, in the case of coalbed methane, removing water from the coal seam.

Paragraph: 098 Reference ID: 27-098-20140306

Revision date: 06 03 2014

What is the appraisal phase of hydrocarbon extraction?

The appraisal phase takes place following exploration when the existence of oil or gas has been proved, but the operator needs further information about the extent of the deposit or its production characteristics to establish whether it can be economically exploited.

Paragraph: 099 Reference ID: 27-099-20140306

Revision date: 06 03 2014

What does the appraisal phase involve?

The appraisal phase can take several forms including additional seismic work, longer-term flow tests, or the drilling of further wells. This may involve additional drilling at another site away from the exploration site or additional wells at the original exploration site. For unconventional hydrocarbons it may involve further hydraulic fracturing followed by flow testing to establish the economic viability of the resource and its potential productive life. Much will depend on the size and complexity of the hydrocarbon reservoir involved.

Paragraph: 100 Reference ID: 27-100-20140306

Revision date: 06 03 2014

What is the production phase of hydrocarbon extraction?

The production phase normally involves the drilling of a number of wells. This may be wells used at the sites at the exploratory and/or appraisal phases of hydrocarbon development, or from a new site. Associated equipment such as pipelines, processing facilities and

Petroleum Licence Areas on their policies maps;

Criteria-based policies for each of the exploration, appraisal and production phases of hydrocarbon extraction. These policies should set clear guidance and criteria for the location and assessment of hydrocarbon extraction within the Petroleum Licence Areas.

Paragraph: 106 Reference ID: 27-106-20140306

Revision date: 06 03 2014

Can mineral planning authorities include site-specific locations in their local plans?

Planning permission is one of the main regulatory requirements that operators must meet before drilling a well, for both conventional and unconventional hydrocarbons. A flow chart setting out the process for drilling an exploratory well, and how these regulatory regimes interact, is set out at Annex B, and explained in more detail through the Regulatory Roadmap: Onshore oil and gas exploration in the UK regulation and best practice practice guidance published by the Department of Energy and Climate Change in December 2013.

Paragraph: 109 Reference ID: 27-109-20140306

Revision date: 06 03 2014

Who are the key regulators for hydrocarbon extraction?

The key regulators for hydrocarbon extraction are:

a. Department of Energy and Climate Change – issues Petroleum Licences, gives consent to drill under the Licence once other permissions and approvals are in place, and have responsibility for assessing risk of and monitoring seismic activity, as well as granting consent to flaring or venting;

b. Mineral planning authorities – grant permission for the location of any wells and wellpads, and impose conditions to ensure that the impact on the use of the land is acceptable;

c. Environment Agency – protect water resources (including groundwater aquifers), ensure appropriate treatment and disposal of mining waste, emissions to air, and suitable treatment and manage any naturally occurring radioactive materials; and

d. Health and Safety Executive – regulates the safety aspects of all phases of extraction, in particular responsibility for ensuring the appropriate design and construction of a well casing for any borehole.

Paragraph: 110 Reference ID: 27-110-20140306

Revision date: 06 03 2014

What other bodies may be involved in the process of consenting hydrocarbon extraction?

Paragraph: 113 Reference ID: 27-113-20140306

Revision date: 06 03 2014

Should planning performance agreements be used for hydrocarbon extraction?

Mineral planning authorities and operators should seriously consider

A location plan should be based on an up-to-date map and wherever possible scaled to fit onto A4 or A3 size paper.

Also see the guidance on Making an application.

Paragraph: 115 Reference ID: 27-115-20140306

Revision date: 06 03 2014

What issues should mineral planning authorities include on their local list for exploration of hydrocarbons?

Mineral planning authorities should normally expect to include on their local list those issues for which they are, or may be responsible, for assessing, when dealing with planning applications for exploratory hydrocarbon development. This list should be consistent with the spirit of this guidance.

Paragraph: 116 Reference ID: 27-116-20140306

Revision date: 06 03 2014

What constitutes an application for an exploratory well?

The precise nature of what is included in an application for exploration will depend in part on the applicant. The applicant and the Department of Energy and Climate Change will already have agreed a work programme which might include acquisition of seismic data and one or more exploratory wells as part of the exploration licence application.

All exploratory phases will involve drilling vertically downwards, perhaps including directional drilling. However, the exploratory phase may include horizontal drilling once the appropriate rock formation is reached, and for unconventional hydrocarbons – hydraulic fracturing.

Paragraph: 117 Reference ID: 27-117-20140306

Revision date: 06 03 2014

Can vertical and horizontal drilling, including hydraulic fracturing, be included in one application for exploratory drilling?

As far as it is practical to do so, any application for exploratory drilling should cover as much of the exploratory activity as possible, including the likely number of wellheads and extent of drilling, to avoid further planning applications at a later date.

Paragraph: 118 Reference ID: 27-118-

Paragraph: 119 Reference ID: 27-119-20140306

Revision date: 06 03 2014

Should mineral planning authorities take account of the environmental effects of the production phase of hydrocarbon extraction at the exploration phase?

Individual applications for the exploratory phase should be considered on their own merits. They should not take account of hypothetical future activities for which consent has not yet been sought, since the further appraisal and production phases will be the subject of separate planning applications and assessments.

When determining applications for subsequent phases, the fact that exploratory drilling has taken place on a particular site is likely to be material in determining the suitability of continuing to use that site only insofar as it establishes the presence of hydrocarbon resources.

Paragraph: 120 Reference ID: 27-120-20140306

Revision date: 06 03 2014

Can information used in complying with other regulatory regimes be used to inform an environmental statement?
eyivir tioatory regimes
b[b)-5anniarbon reh8 (ofgh 6 (e)evat58 (o)l)-5 (i)51 (ons)-6ronii5 (-6 (o3 (o)l)-

Revision date: 06 03 2014

What are the legal obligations on mineral planning authorities and operators with regard to European sites designated under the Birds or Habitats Directives and Sites of Special Scientific Interest?

Are separation distances or buffer zones acceptable?

Above ground separation distances are acceptable in specific circumstances where it is clear that, based on site specific assessments and other forms of mitigation measures (such as working scheme design and landscaping) a certain distance is required between the boundary of the minerals site and the adjacent development.

Paragraph: 126 Reference ID: 27-126-20140306

Revision date: 06 03 2014

Aftercare and restoration

How will the mineral planning authority ensure that applicants will deliver sound restoration and aftercare proposals?

Mineral planning authorities will ensure the proper restoration and aftercare of a site through imposition of suitable planning conditions and, where necessary, through section 106 Agreements. For hydrocarbon extraction sites where expected extraction is likely to last for a short period of time, it is appropriate for the mineral planning authority to impose a detailed set of planning conditions as part of the planning application.

Also see guidance on Who is responsible for the (i)-3.1 (e6n1p0 Tc 0 TwMe r)-1.5

Paragraph: 128 Reference ID: 27-128-20140306

Revision date: 06 03 2014

What is hydraulic fracturing?

Hydraulic fracturing is the process of opening and/or extending existing narrow fractures or creating new ones (fractures are typically hairline in width) in gas or oil-bearing rock, which allows gas or oil to flow into wellbores to be captured.

Paragraph: 129 Reference ID: 27-129-20140306

Revision date: 06 03 2014

How does the hydraulic fracturing process work?

During hydraulic fracturing, a mixture of water, sand and possibly some chemical additives is pumped under pressure down a borehole into the rock unit. The sand is used to prop the fractures open to increase gas extraction.

The borehole is lined with a steel casing and cement and a “perforating gun” is used to create perforations to allow the hydraulic fracturing fluid to be injected into the rock.

Plugs may be used to divide the well into smaller sections (termed stages). Stages are fractured sequentially, beginning with the stage furthest away. After the hydraulic fracturing is done, such plugs can be drilled through and the well is depressurised.

In this way, the system is designed to be a closed loop, so that when the high pressure is removed, the hydraulic fracturing fluid returns to the surface for treatment and storage. The flowback water also may contain salts and other dissolved minerals from the shale rock formation. Estimates vary on what percentage of the hydraulic fracturing fluid returns to the surface: from 25-75%. This wide range is explained by differences in the properties of the shale and its response to the hydraulic fracturing.

Paragraph: 130 Reference ID: 27-130-20140306

Revision date: 06 03 2014

Figure 1: Shale gas extraction

Figure 1: Shale gas extraction

PDF, 167 KB, 1 page

This file may not be suitable for users of assistive technology.

Request an accessible format.

Source: British Geological Survey

Paragraph: 131 Reference ID: 27-131-20140306

Revision date: 06 03 2014

What is coalbed methane?

Coalbed methane is methane that is extracted from unworked coal seams. The Coal Authority have produced an interactive map viewer which provides information on the location of coalfields in England.

Paragraph: 132 Reference ID: 27-132-20140306

Revision date: 06 03 2014

How is coalbed methane extracted?

Extraction of coalbed methane is usually from one of two sources:

- drilling vertically into a coal seam (making use of pre-existing fracture patterns); or more likely
- directional drilling along a coal seam

In some cases the coals may be fractured to improve flow rates; the well is then pumped to remove water and lower the pressure within the seam to allow release of methane.

Paragraph: 133 Reference ID: 27-133-20140306

Revision date: 06 03 2014

At what depths is coalbed methane likely to be extracted?

Extraction is likely to be achievable between 200 and 1,500 metres, depending on the coal permeability and other issues. At shallower depths the gas pressure in the coal is likely to be insufficient, while at depths greater than 1,500 metres the pressure of the overlying strata is likely to have reduced coal permeability restricting the flow of methane.

Paragraph: 134 Reference ID: 27-134-20140306

Revision date: 06 03 2014

What is the appropriate distance for the spacing of coalbed methane wells?

The usual spacing of vertical coalbed methane wells is one for every 500 to 1,000 metres, though directional drilling of a number of wells from a single surface location offers one way of reducing the number of surface dr

Paragr 134 Reference ID: 27- 134-20140306

Revision 3ate: 06 03 2014

- unlike underground coal mining, extraction of coalbed methane does not cause subsidence of the land surface;
- removing the water is commonly required to initiate gas production. Such de-watering can take an extended period of time.

Paragraph: 137 Reference ID: 27-137-20140306

Revision date: 06 03 2014

What is Underground Coal Gasification?

Underground Coal Gasification is a process involving controlled combustion of coal seams beneath the ground and the recovery of the resulting gases. The coal can be accessed by car

The surface footprint depends on the scale of the proposal. It is likely to consist of:

- a minimum of one drilling pad
- facilities to provide steam and possibly oxygen to regulate the combustion reaction
- facilities to process the product gas (these could be located off

underground coal gasification is used to produce syngas for power generation.

New power stations that use fossil fuel or fuel produced from fossil fuel, as in gasification, will also be subject to the Emissions Performance Standard. The Standard, introduced through provisions of the Energy Act 2013, recently came into force and places a limit on the amount of carbon dioxide emissions that new fossil fuel power stations can emit.

Paragraph: 229 Reference ID: 27-229-20141017

Revision date: 17 10 2014

Annex B: Outline of process for drilling an exploratory well

Figure 2: outline of process for drilling an exploratory well

PDF, 346 KB, 1 page

This file may not be suitable for users of assistive technology.

Request an accessible format.

Paragraph: 138 Reference ID: 27-138-20140306

Revision date: 06 03 2014

Annex C: Model planning conditions for surface area

Ground and surface water

The boreholes must be constructed so as to prevent uncontrolled discharge of artesian groundwater to surface, and to prevent uncontrolled discharge of water or contamination into or between individual aquifers or different geological formations.

Any oils, fuels, lubricants or other liquid materials shall be located on an impervious base and/or within an impervious bunded area or purpose made self-bunding tanks so as to prevent any discharge or

Noise monitoring shall thereafter be carried out in accordance with the approved noise monitoring scheme and the results of the each noise monitoring exercise shall be submitted to the mineral planning authority within 7 days of the monitoring being carried out. Noise monitoring shall commence within 12 hours of drilling commencing.

In the event that noise monitoring indicates that noise levels have exceeded the maximum permitted noise level, drilling operations shall cease within [x] hours and until such time that further noise mitigation measures which shall be firstly approved in writing by the mineral planning authority have been installed and employed within the site.

All plant and machinery shall be adequately maintained and silenced in accordance with the manufacturer's recommendations at all times.

Paragraph: 141 Reference ID: 27-141-20140306

Revision date: 06 03 2014

Dust and air quality

Prior to the comm thalye-6.1 (om)-3.7 (m)-3.7.9 (o t)-5 (he)8.3 (m)-50712 Tc 2 (l)-

application site without the prior written approval of the local planning authority.

Paragraph: 143 Reference ID: 2a-143-20140306

Revision date: 06 03 2014

Soils

Prior to the construction of the drilling pad all available topsoil shall be stripped from the site and shall be stored in separate mounds within the site for use in the restoration of the site. The soils shall only be stripped when they are in a dry and friable condition.

All topsoil and subsoil mounds shall be graded and grass seeded within one month of the first planting season and thereafter retained in a grassed, weed free condition throughout the duration of the development pending their use in the restoration of the site.

Paragraph: 144 Reference ID: 27-144-20140306

Revision date: 06 03 2014

Protected species and wildlife habitats

Prior to the commencement of development, a method statement for the protection of wildlife, flora and fauna during construction and during operation of the facility shall be submitted to and approved in writing by the meprotectii and approv

Restoration and after care

appropriate treatment and disposal of waste arising from the construction and operation of the site, and air emissions;

Mineral planning authorities, who grant permission for the location of those gas storage surface activities for which they hold planning responsibility. They are also responsible for ensuring geological integrity given the risks of subsidence and other impact on the use of land;

Hazardous substances authorities, who are usually local planning authorities, who may need to provide hazardous substances consents; and

Department of Energy and Climate Change who, if the thresholds referred to in paragraph 7 above are met, are the decision-making authority for applications for Development Consent Orders under the Planning Act 2008. If sought by the developer, a Development Consent Order might also include powers of compulsory acquisition and directions that planning permission and hazardous substances consent are deemed to be granted. Where the proposal is to use a depleted oil and gas reservoir, the applicant must also submit a field development plan to the Department of Energy and Climate Change for approval.

Paragraph: 231 Reference ID: 27-231-20141017

Revision date: 17 10 2014

What sort of underground structures might be suitable for the storage of natural gas?

wells and when needed later, are withdrawn through these wells;

halite (rock salt) deposits – cavities (or caverns) are created within thick underground rock salt deposits and are able to effectively confine gases pumped into the void. These voids can be excavated by conventional underground mining, or more commonly, by drilling a borehole into the salt and pumping fresh water down to dissolve the salt, forming brine which is then extracted by pumping;

lined rock caverns (including those created from mining minerals) – these are small volume storage facilities generally constructed in regions lacking suitably developed halite deposits or porous and permeable strata, and where the lining is usually constructed from concrete and steel; and

unlined rock caverns – the storage of some forms of hydrocarbons in mined voids is possible in certain rock types other than salt, for example storage of liquid petroleum gas in chalk.

Paragraph: 232 Reference ID: 27-232-20141017

Revision date: 17 10 2014

What depths are suitable for underground storage of natural gas?

There is no set depth that is suitable for underground gas storage, since much will depend on the nature of suitable geological strata and

What specific issues should mineral planning authorities consider for underground mining?

Underground coal mining can raises additional issues to surface coal mining which mineral planning authorities may need to consider. These include: the potential effects of subsidence, including the potential hazard of old mine workings; the treatment and pumping of underground water; monitoring and preventative measures for potential gas emissions; and the method of disposal of colliery spoil.

Paragraph: 148 Reference ID: 27-148-20140306

Revision date: 06 03 2014

Minerals planning orders

What are minerals planning orders?

Section 97 of, Part II of Schedule 5 and Scthoran o er26m[224.16 0.08 refderiner

Revision date: 06 03 2014

When should minerals planning orders be used?

The use of an order will depend on the circumstances of the individual case and the working status of the site. Where mineral planning authorities do decide to make an order they must have regard to the development plan and to any other material considerations. In most circumstances compensation is payable.

Orders should be considered as an action of last resort where discussions with the owner and operator have been unable to resolve the problem. However, operators may voluntarily agree that certain permissions may be modified or given up, in which case, the mineral planning authority should issue a Prohibition Order.

Paragraph: 150 Reference ID: 27-150-20140306

Revision date: 06 03 2014

Can mineral planning authorities use orders as an alternative to periodic reviews of minerals planning conditions or enforcement powers?

Mineral planning authorities should not use their order making powers as a substitute for, or to supplement, periodic reviews of minerals planning conditions. Nor should orders be used as a substitute for planning enforcement powers. However, there may be exceptional circumstances in between periodic reviews, or prior to the first review, where a material change in circumstances makes it unacceptable for the development to continue under the existing conditions.

Paragraph: 151 Reference ID: 27-151-20140306

Revision date: 06 03 2014

Modification and Revocation Orders

When can Modification and Revocation Orders be used?

Modification and Revocation Orders may only be made before buildings or operations have been completed or a change of use has

occurred. In the case of minerals development an order can only be made before minerals development begins or in respect of uncompleted parts of the minerals development. For example, aftercare conditions can only be imposed before soils have been replaced and restoration conditions satisfied.

Paragraph: 152 Reference ID: 27-152-20140306

Revision date: 06 03 2014

Paragraph: 154 Reference ID: 27-154-20140306

Revision date: 06 03 2014

Discontinuance Orders

What are Discontinuance Orders?

Discontinuance Orders are orders that require changes to the use of land for minerals development. Such an order may:

- stop the use of land for minerals development;
- impose additional conditions on its continuing use;
- require buildings or works to be altered or removed; and/or
- require that any plant or machinery used for minerals development should be altered or removed.

Paragraph: 155 Reference ID: 27-155-20140306

Revision date: 06 03 2014

Why use a Discontinuance Order?

Typical circumstances when a Discontinuance Order may be appropriate include:

- where minerals development began in breach of planning control but where enforcement action is not appropriate; or
- where it represents the most effective method of modifying the use (eg to ensure the restoration) of a large site which is subject to more than one planning permission.

Paragraph: 156 Reference ID: 27-156-20140306

Revision date: 06 03 2014

Can a Discontinuance Order impose aftercare conditions?

Aftercare conditions may be imposed by a Discontinuance Order if the order also imposes, or the minerals site is already subject to, planning conditions which require restoration of the site.

Paragraph: 157 Reference ID: 27-157-20140306

Revision date: 06 03 2014

Who can confirm a Discontinuance Order?

A Discontinuance Order must be confirmed (with or without any modifications) by the Secretary of State in order to come into effect regardless of whether or not there is a local inquiry, hearing or written representation.

Paragraph: 158 Reference ID: 27-158-20140306

Revision date: 06 03 2014

Prohibition Orders

What are Prohibition Orders?

Prohibition Orders are orders whose purpose is to make it absolutely clear that minerals development has stopped and cannot resume without a fresh planning permission, and to secure the restoration of the land.

This type of order can also impose other requirements including removal of machinery, compliance with existing planning conditions, and any restoration conditions (see paragraph 3(3) of Schedule 9 to the Town and Country Planning Act 1990).

Paragraph: 159 Reference ID: 27-159-20140306

Revision date: 06 03 2014

When can a Prohibition Order take effect?

A Prohibition Order may only take effect if confirmed by the Secretary of State, with or

Can a Prohibition Order apply to more than one planning permission?

A Prohibition Order can encompass any number of permissions which apply to the land or site(s) to which it relates.

Paragraph: 161 Reference ID: 27-161-20140306

Revision date: 06 03 2014

What conditions must be met before a Prohibition Order can be made?

A Prohibition Order may only be made where it appears to the m Tw -Tw -3.215 -1

Paragraph: 166 Reference ID: 27-166-20140306

Revision date: 06 03 2014

Suspension Orders

What is a Suspension Order?

A Suspension Order is a holding measure which restricts the resumption of minerals development for a period of time at a site where work is temporarily suspended, before either the resumption of development or the making of a prohibition order. It does not and cannot prevent the recommencement of minerals development.

Paragraph: 167 Reference ID: 27-167-20140306

Revision date: 06 03 2014

A Suspension Order may require steps to be taken for the protection of the environment, including measures to preserve the amenities of the area in which the land is situated, to protect it from damage or to prevent deterioration in the condition of the land while development is suspended. Examples of this include the removal of plant or equipment or tidying up the site; the provision of fencing and other safety measures (if existing powers in other legislation prove insufficient).

A Suspension Order may not include restoration or aftercare conditions.

Paragraph: 170 Reference ID: 27-170-20140306

Revision date: 06 03 2014

By when must actions covered by a Suspension Order be taken?

Actions covered by a Suspension Order must be carried out by the date specified by the mineral planning authority.

Paragraph: 171 Reference ID: 27-171-20140306

Revision date: 06 03 2014

What is a Supplementary Suspension Order?

A Supplementary Suspension Order is a further order which may be made to take account of changing circumstances after a Suspension Order has come into force.

Paragraph: 172 Reference ID: 27-172-20140306

Revision date: 06 03 2014

When can a Supplementary Suspension Order be used?

Circumstances which might warrant a Supplementary Suspension Order include:

- delays in resumption of minerals development, to secure the site for a further period of time;

additional or alternative steps are needed to protect the environment; or

resumption of development is sooner than anticipated.

Supplementary Suspension Orders must be confirmed by the Secretary of State except when they revoke a Suspension Order or a previous Supplementary Suspension Order and do not require that any fresh steps be taken to protect the natural environment.

Paragraph: 173 Reference ID: 27-173-20140306

Revision date: 06 03 2014

Compensation payable when a mineral planning order is used

When is compensation payable when these minerals planning orders are used, and to whom?

Minerals planning orders may attract compensation by the mineral planning authority to the operator if they are confirmed by the Secretary of State and a valid claim is made (see the Town and Country Planning (Compensation for Restrictions on Mineral Working and Mineral Waste Depositing) Regulations 1997).

Paragraph: 176 Reference ID: 27-176-20140306

Revision date: 06 03 2014

Who pays out compensation when an order is confirmed by the Secretary of State?

Any compensation is paid by the mineral planning authority when an order is confirmed by the Secretary of State.

Paragraph: 177 Reference ID: 27-177-20140306

Revision date: 06 03 2014

Review of minerals planning conditions

What minerals sites are subject to review of minerals planning conditions?

There are 2 categories of sites which are subject to reviews of minerals planning conditions:

1. dormant sites, where planning permission was granted between 21 July 1943 and 22 February 1982, but where extraction has

22 of and Schedule 2 to the Planning and Compensation Act 1991); and

2. those sites where minerals extraction is taking place, but whose permission will last for many years. In such circumstances, a periodic review of the conditions attached to the original planning permission can help ensure that the sites operate to continuously high working and environmental standards. Legislation setting out how these periodic reviews should be carried out can be found at section 96 of and Schedule 14 to the Environment Act 1995, and section 10 of and Schedule 3 to the Growth and Infrastructure Act 2013.

Paragraph: 178 Reference ID: 27-178-20140306

Revision date: 06 03 2014

What are the main steps to be followed in reviewing minerals planning conditions?

The main steps to be followed in reviewing minerals conditions, including for dormant sites, is set out in this flowchart showing the overview of review of mineral planning conditions.

Paragraph: 179 Reference ID: 27-179-20140306

Revision date: 06 03 2014

Dormant sites

When can dormant sites start development?

Minerals development cannot lawfully commence until the applicant has submitted an application for appropriate minerals conditions and conditions have been agreed by the mineral planning authority. An application for conditions may need to be accompanied by an Environmental Statement under the Town and Country Planning (Environmental Impact Assessment) Regulations 2011.

Paragraph: 180 Reference ID: 27-180-20140306

Revision date: 06 03 2014

Who can apply for the determination of new conditions for Interim Development Order sites?

Those entitled to apply for the determination of new conditions for Interim Development Order sites are:

- the freeholder of any part of the land to which the permission relates;
- the tenant of any part of the land to which the permission relates with more than 7 years lease left to run; or
- any person who is entitled to an interest in any minerals in the land to which the permission relates.

Paragraph: 181 Reference ID: 2a-181-20140306

Revision date: 06 03 2014

What happens if a site crosses minerals planning authority boundaries?

Mineral planning authorities only have administrative responsibility for land within their administrative area. An existing permission which straddles an administrative boundary must be treated as 2 (or more) permissions. Planning authorities should co-ordinate their approach and where necessary make arrangements to discharge any of their relevant functions jointly.

Paragraph: 182 Reference ID: 27-182-20140306

Revision date: 06 03 2014

What is the procedure for applying for approval of conditions?

Applications for approval of conditions must be made on an official form obtainable from the mineral planning authority and must be accompanied by the appropriate certificates that the necessary publicity, notification and certification requirements have been complied with.

Paragraph: 183 Reference ID: 27-183-20140306

Revision date: 06 03 2014

What happens if more than one person applies?

If there is more than one person eligible to apply and each makes a separate application, the mineral planning authority must treat all the

There are 3 main restrictions on planning conditions that may be imposed as part of the review of planning conditions:

- all conditions must meet the policy tests, be necessary and should not affect the economic viability of the operation (eg conditions which restrict the total quantity of mineral for extraction).

Coverage and frequency of periodic reviews

What sites are subject to periodic reviews of planning permissions?

All mining sites, including any extensions to sites granted after the initial minerals planning permission, are subject to periodic reviews of planning permissions. Mineral planning authorities can review mining sites with a single permission or the aggregate of 2 or more permissions.

Paragraph: 189 Reference ID: 27-189-20140306

Revision date: 06 03 2014

How should reviews apply where there is more than one minerals permission on the same site?

Different operators on a mining site are encouraged to co-ordinate with each other to facilitate a single review of the site. This may require preparation of a single Environmental Statement.

Paragraph: 190 Reference ID: 27-190-20140306

Revision date: 06 03 2014

How should satellite sites be treated?

Some minerals operations rely on a number of ‘satellite’ sites serving a central processing facility. Some of these sites may be active, whilst others may be held in reserve to be brought into production as the market dictates or as other sites are worked out. Whether or not such satellite sites should be regarded as one minerals site or several different minerals sites will depend upon a number of factors, such as:

- their location;
- their distance from each other and from the central processing facility;
- whether it is clear that the various sites form part of a co-ordinated approach to ensure the sustainability of the processing facility;

- the date of the relevant planning permissions (because these will determine in which phase a site falls to be reviewed or whether it is subject to initial review at all); and
- whether it makes sense to review them all at the same time or separately.

Mineral planning authorities should justify their approach for treating satellite sites. In doing so, they should not separate permissions so as to ensure that some land is classified as a dormant site when the

Paragraph: 193 Reference ID: 27-193-20140306

Revision date: 06 03 2014

What types of conditions will be appropriate?

The appropriate types of conditions to impose will vary on each particular case, but regard should be had to all material planning conditions including:

- type of mineral;
- nature and extent of existing working;
- the location of the site;
- the length of time that minerals extraction has taken place at the site;
- land quality and proposed after-use; and
- the availability of suitable restoration materials.

Paragraph: 194 Reference ID: 27-194-20140306

Revision date: 06 03 2014

Can a periodic review of conditiond cllla m indn g

mine or quarry where winning and working has ceased but the plant is continuing to process material from other active mines or quarries.

Paragraph: 195 Reference ID: 27-

There is no statutory requirement on mineral planning authorities to publicise an application for a review of conditions where the minerals development is not subject to an Environmental Impact Assessment.

Reviews where an Environmental Impact Assessment is required are subject to public consultation arrangements.

Paragraph: 203 Reference ID: 27-203-20140306

Revision date: 06 03 2014

How long does the mineral planning authority have to determine the permission?

The minerals planning authority has a period of 3 months to determine the permission if no Environmental Statement is required except where a different time period is agreed in writing between the mineral planning authority and the applicant. Should it fail to give written notice of a decision within this period, the application and the conditions the application proposes are deemed to have been approved (see Schedule 14 to the Environment Act 1995). Where an Environmental Statement is required, the mineral planning authority has 16 weeks to determine an application. If it does not determine the application within this date, however, the application and conditions are not automatically approved. The applicant may appeal to the Secretary of State to determine these conditions after this time.

Paragraph: 204 Reference ID: 27-204-20140306

Revision date: 06 03 2014

Should mineral planning authorities issue screening opinions along with their notice to carry out a review?

Wherever possible mineral planning authorities should issue screening opinions as to whether the remaining permitted minerals development (ie the whole of the remaining development for which permission has been granted, not just the development taking place over the forthcoming 15 years) requires Environmental Impact Assessment at the same time as sending to operators advance notice of a review.

Paragraph: 205 Reference ID: 27-205-20140306

Revision date: 06 03 2014

How much of the site area is covered by a review of minerals conditions?

Where an Environmental Statement is required, environmental information is required for the whole minerals site covered by that permission before new operating conditions can be determined.

Paragraph: 206 Reference ID: 27-206-20140306

Revision date: 06 03 2014

Why are there automatic suspensions?

Where the site is ‘stalled’ owing to the lack of an adequate Environmental Statement or information, automatic suspensions p5 (he)8.5 ()-6.2 ered fo tpensWheo (o t)2 (new)1 (.27no (om)-3.7 (a

Are the timescales for preparing an Environmental Statement of submitting further information fixed?

The Town and Country Planning (Environmental Impact Assessment) Regulations 2011 allow discretion for the minerals planning authority or Secretary of State to extend the period for submission of a new Environmental Statement.

Additional time should only be granted where there is a clear and limited timescale and the minerals planning authority is convinced that no environmental harm will result from the delay.

Paragraph: 209 Reference ID: 27-209-20140306

Revision date: 06 03 2014

When should a mineral planning authority consider making a Prohibition Order?

Mineral planning authorities are under a duty to make a Prohibition Order where:

- a site has been suspended for 2 years for failure to provide an Environmental Statement or relevant information; and
- it considers that the tests for issuing a Prohibition Order are met.

There are unlikely to be many cases in which, after 2 years' suspension, the mineral planning authority would not be acting

- the applicant disagrees with any conclusion by the mineral planning authority that there would be an impact on economic viability but that compensation is not payable.

The appeal must be lodged within 6 months of notice of the decision. Use this form: Appeals to the Secretary of State mineral site / mining site Environment Act 1995.

Paragraph: 211 Reference ID: 27-211-20140306

Revision date: 06 03 2014

When can the applicant not appeal against the decision of the mineral planning authority?

The applicant cannot appeal against a decision by the mineral planning authority that the imposition of new conditions would not restrict working rights.

Paragraph: 212 Reference ID: 27-212-20140306

Revision date: 06 03 2014

Can the applicant claim compensation as a result of any reviews of planning conditions?

The applicant can claim compensation as a result of any reviews of planning conditions where:

- the mineral planning authority determines conditions different from those submitted by the applicant; and
- The effect of new conditions, other than restoration or aftercare conditions, is to prejudice adversely to an unreasonable degree either the economic viability of the operation or the asset value of the site, taking account of the expected remaining life of the site.

The extent of compensation payable is restricted by the Town and Country Planning (Compensation for Restrictions on Mineral Working and Mineral Waste Depositing) Regulations 1997.

Paragraph: 213 Reference ID: 27-213-20140306

Revision date: 06 03 2014

What steps should the minerals planning authority take if it considers that the review of conditions would impact on working rights?

Mineral planning authorities should discuss the proposed conditions with the operator who should provide information about the economic viability of the operation and asset value of the site. In the light of that information, the mineral planning authority should either moderate the

Official form for appeals to the Secretary of State mineral site/mining site Environment Act 1995

PDF, 27.5 KB, 3 pages

TS S- (n)5.t.Sm5.t..5 a9

Application for determination of conditions to which interim development order permission (old m

Directional drilling – non-vertical wells which begin with slanted but straight holes often used for mineral exploration and to avoid surface obstacles. Wells may also begin vertically but progressively build angle to intercept the hydrocarbon reservoir in a longer section than can be achieved by vertical drilling. Such non-vertical wells can be deployed radially from a single well pad.

Economic viability in the context of review of mineral permissions means the ability of a site to produce sufficient revenue to cover all of its operating costs (including finance costs and depreciation) and produce an appropriate return on capital. The key test is the extent to which the further restrictions imposed by new conditions would cause extra operating costs or restrict revenue to the extent that economic viability would be prejudiced adversely to an unreasonable degree.

Flow-testing – various tests to determine the hydrocarbon flow potential from the well, the reservoir characteristics and the nature of the hydrocarbons and other fluids present, often performed at different levels in a well.

Industrial minerals – minerals which are necessary to support industrial and manufacturing processes and other non-aggregate uses. These include minerals of recognised national importance including: brickclay (especially Etruria Marl and fireclay), silica sand (including high grade silica sands), industrial grade limestone, cement raw materials, gypsum, salt, fluorspar, tungsten, kaolin, ball clay and potash.

Minerals Consultation Area – a geographical area, based on a Mineral Safeguarding Area, where the district or borough council should consult the Mineral Planning Authority for any proposals for non-minerals development

Minerals development means development consisting of the winning and working of minerals or involving the depositing of mineral waste.

Minerals Safeguarding Area – an area designated by a Mineral Planning Authority which covers known deposits of minerals which are desired to be kept safeguarded from unnecessary sterilisation by non-mineral development

Mining site refers to the land to which a minerals permission relates, which may include the total area of land to which 2 or

more planning permissions for minerals development relates if

similar way to the human ear. Measurements in dB(A) broadly agree with people's assessment of loudness.

Free Field: An external sound field in which no significant sound reflections occur (apart from the ground).

LA90,T: The "A weighted" noise level exceeded for 90 per cent of the specified measurement period (T).

LAeq,T: The "A weighted" equivalent continuous sound level – the sound level of a notionally steady sound having the same energy as the actual fluctuating sound over the same time period (T).

Lmax: The highest noise level recorded during a noise event or